AIA/SDO FITS Keywords for Scientific Usage and Data Processing at Levels 0, 1.0, and 1.5

(A document in progress)

-	(Telemetry keywords are <i>bold italic</i> ; derived keywords are bold ; & potential keywords are <i>italic</i>)
	$\{\# = \text{Integer} (\sim 0.999); @ = \text{Optional single character A-Z}; \& = \text{Alpha-numeric}\}$
LL@#	Lower Left corner pixel for row (X) / column (Y) for Region of Interest
-	(ROI) # on CCD
NAXIS@#	Dimension (in pixels) along row (X) / column (Y) for ROI # on CCD
A@&&&&&&	Originating from telemetry data (@: $H = HDR$, $F = FDB$, $I = ISP$)

(Note: The definitions of the output data levels included below have been extracted in part from the current Stanford SDO DRMS and SUMS computer database. Phil Scherrer's "JSOC Keywords used for metadata" document [current update 5/8/09] will be used to define and explain the keyword usage.)

1. Level-0 Keywords

1.1 Basic Image Information for Level-0

<u>Definition of Level-0</u> <u>Metadata for the Image Header</u> (Note: The only intended external use of this level is for JSOC-OPS quick-look viewing in near-real time.)

Metadata for Level-0, when the image comes down, consists of keywords derived directly from the image camera header data and those stored in a ground database containing the image characteristics, such as image size, date of observation, telescope, instrument, etc., plus that generated from the associated image status packet (ISP), including the status of mechanisms, the camera itself, the image stabilization system (ISS), and the guide telescope (GT). (See image status packet list in Section 1.2 below.)

Metadata for Level-0 may be updated further in the next 24 hours as the final versions of SDO roll information and Flight Dynamics System data are received.

Data Image for Level-0

Decompressed raw data recompressed using non-lossy compression, such as rice.

The following keywords come from science data packet image header (HDR) information (definition in Doc. AIA02019):

AHAPID = Packet APID (11b; from HDR)AHTCS = Packet Time Code Seconds (32b; from HDR)AHTCSS = Packet Time Code Sub Seconds (32b; from HDR)AHTLFSN = Camera/Frame Serial Number (32b; from HDR)AHTAPC = TAP Code (4b; from HDR)AHTAPC = TAP Code (4b; from HDR)AHBITID = Bit Select ID (4b; from HDR)AHCPIDN = Compression parameter n (4b; from HDR)AHCPIDK = Compression parameter k (4b; from HDR)AHLUTID = Lookup Table ID (8b; from HDR)

The 9 keywords above will be useful in identifying and reconstructing the acquired image. **IMGAPID** = AHAPID, Image Application ID {Level-1 also} **IMGFPT** is the first packet time in "ISO" units constructed from AHTCS and AHTCSS. **TLMDSNAM** Telemetry data series name (string) with first packet of image **TAPCODE** = AHTAPC, "Take a Picture code" **BITSELID** = AHBITID, Bit select id, r **LUTID** = AHLUTID, Lookup table id **COMPID** is the compression id; n, k; constructed from AHCPIDN and AHCPIDK. **FSN** = the least significant 30b of AHTLFSN and is the Frame Serial Number {Level-1 also} **CAMEDA** = the most significant 2b of AHTLFSN +1 = [1, 2, 2, 4] and is the ALA compare (talescene) number especiated with the

CAMERA = the most significant 2b of *AHTLFSN* +1 = [1, 2, 3, 4] and is the AIA camera (telescope) number associated with the image {Level-1 also}

CROPID is the id associated in the crop table with each image frame to generated onboard and will contain

FID, the Frame Definition Block ID (8b; crop table) {Level-1 also}

to be extracted from the de-crop table during the jsoc processing. The Frame Definition Block ID identifies the Frame Definition Block (FDB) (generated and stored in the FDB database on the ground), from which the following can be obtained:

AFDBID = Frame Definition Block ID (8b; from FDB)

AFDBSM = SummingMode (4b; from FDB) for summing: 1x1, 2x2, 4x4 (= 0, 1, 2) AFDBNW = Number of Windows (4b; from FDB) for number of Region Of Interest(s) (ROI) (= 0, 1, 2) ROI_NAX1 = Number of CCD Columns (16b; from FDB and de-crop table) for width of ROI 1 in pixels {Level-1 also} ROI_NAY1 = Number of CCD Rows (16b; from FDB and de-crop table) for height of ROI 1 in pixels {Level-1 also} ROI_NAX2 = Number of CCD Columns (16b; from FDB and de-crop table) for width of ROI 2 in pixels {Level-1 also} ROI_NAY2 = Number of CCD Rows (16b; from FDB and de-crop table) for height of ROI 2 in pixels {Level-1 also}

AIA/SDO FITS Keywords

ROI_LLX1 = CCD X-variable location of lower left corner pixel of ROI 1 {Level-1 also} **ROI_LLY1** = CCD Y-variable location of lower left corner pixel of ROI 1 {Level-1 also} **ROI_LLX2** = CCD X-variable location of lower left corner pixel of ROI 2 {Level-1 also} **ROI_LLY2** = CCD Y-variable location of lower left corner pixel of ROI 2 {Level-1 also}

Using the basic keywords above for the lower-left pixel of the 2 target regions of interest (ROI) and for the widths and heights of the regions, together with the lower-left corner pixel (LLC) information for the origin of the ROI with columns designated along the horizontal axis and rows along the vertical axis, the derived keywords below can be determined for each of the Region(s) of Interest (ROIs), 1 and 2. If more than one ROI is indicated, they most likely will be strips across the CCD. The summing mode keyword, **AFDBSM**, will also be useful in reconstructing the image.

Derived Keywords:

NUMWIN = AFDBNW	[number of window ROIs:
	= 0 for full (4kx4k) CCD;
	= 1 for 1 ROI;
	= 2 for 2 ROIs]
NAXIS = 2, 2, 1	[corresponds to number of axes of images for NUMWIN $= 0$,
	1, 2, respectively, to not confuse simple FITS file readers.] {Level-1 also}
NAXIS1 = 4096, ROI_NAX1 , tota	l number of pixels in area {Level-1 also}
NAXIS2 = 4096, ROI_NAY1 , 0	{Level-1 also}
	[the first 2 values of NAXIS# correspond, respectively, to the axis length for NUMWIN = 0, 1
	and the last value corresponds to the total number of pixels in ROIs for NAXIS1 and to zero by
	definition for NAXIS2 to not confuse simple FITS file readers for NUMWIN = 2.]

1.2 Additional Information for Level-0 from Image Status Packet (ISP) [APID 027, as of May 2008]

ATCS027 = APID027_TIMECODE_SECONDS (32b; from ISP), APID027 timecode in secondsATCSS027 = APID027_TIMECODE_SUBSECS (32b; from ISP), APID027 timecode in subseconds,[Quality/Sanity Check time]AIVNIMST = A831A = AIA_VER_NUM_IMAGE_STATUS (16b; from ISP),ISP version numberAIMGOTS = A8285 = AIA_IMG_OBT_TIME_SH_SEC (32b; from ISP),seconds time tag read from OBC shutter time tagregister for the shutter operation making this imagea combination of the camera number and the frame serial number,ASQHDR = AIA_SEQ_HEADER (32b; from ISP),seconds the camera number and the frame serial number,

<i>ASQTNUM</i> = AIA_SEQ_TEL_NUM (2b; in ISP),	from which the camera (telescope) number that took this image,
	CAMERA (= <i>ASQTNUM</i> + 1), can be sanity checked
ASQFSN = AIA_SEQ_FRAME_SN (30b; in ISP) {Level-1 also}	
ALALLEGN = ALA INC INCT EGN (221-, from IGD)	be sanity checked (independent of the camera number)
$AIAHFSN = AIA_IMG_HIST_FSN (32b; from ISP),$	the FSN of the image from which the histogram data was obtained
$AECDELAY = AIA_IMG_AEC_DELAY (16b; from ISP),$	time since image used for AEC
$AIAECTI = A82CA = AIA_IMG_AEC_TABLE_ID (16b; from IS)$	<u>,, 1</u>
	{Level-1 also as APER_SEL}, aperture selection encoder reading
$AIFDBID = A8315 = AIA_IMG_FDB_ID (16b; from ISP),$	frame definition block id, [Quality/Sanity Check <i>AFDBID</i> ?]
<i>AIMGOTSS</i> = <i>A8286</i> = AIA_IMG_OBT_TIME_SH_SS (16b; fro	,, e
	register for the shutter operation making this image
<i>AIFCPS</i> = <i>A8225</i> = AIA_IMG_FC_POSITION (16b; from ISP)	{Level-1 also as FOCUSPOS}, currently loaded target value for
	the focus position mechanism
<i>AIFTSWTH</i> = AIA_IMG_FLT_TYPE_SW_TH (16b; from ISP),	
<i>AIFRMLID</i> = AIA_IMG_FRMLIST_ID (16b; from ISP),	framelist id for this image
<i>AIFTSID</i> = AIA_IMG_FTS_ID (16b; from ISP),	framelist timeline schedule (FTS) id for this image
<i>AIHISMXB</i> = AIA_IMG_HIST_MAX_BIN (16b; from ISP),	bin number of maximum of standard histogram for previous image
	in this wavelength used for the current AEC
<i>AIHIS192</i> = AIA_IMG_HISTC_BN_192 (24b; from ISP),	cumulative histogram value at bin #192
<i>AIHIS348</i> = AIA_IMG_HISTC_BN_348 (24b; from ISP),	cumulative histogram value at bin #348
<i>AIHIS604</i> = AIA_IMG_HISTC_BN_604 (24b; from ISP),	cumulative histogram value at bin #604
<i>AIHIS860</i> = AIA_IMG_HISTC_BN_860 (24b; from ISP),	cumulative histogram value at bin #860
<i>AIWEN</i> = <i>A8292</i> = AIA_IMG_FW_ENCODER (8b; from ISP)	{Level-1 also as FILWLSEL}, filter wheel selector encoder
	reading (0-255) for this image
$AIMGSHCE = A8213 = AIA_IMG_SH_CMDED_EXPOSURE ($	
	exposure for this image
<i>AECTYPE</i> = AIA_IMG_AEC_TYPE (2b; from ISP),	AEC table for current wavelength (4 tables per wavelength)
<i>AECMODE</i> = AIA_IMG_AEC_MODE (1b; from ISP),	mode of AEC (on/off)
<i>AISTATE</i> = <i>A8284</i> = AIA_IMG_ISS_LOOP (1b; from ISP),	ISS on/off
<i>AIAECENF</i> = AIA_IMG_AEC_ENA_FLAG (1b; from ISP),	AEC enable flag for this image
<i>AIFILTYP</i> = AIA_IMG_FILTER_TYPE (1b; from ISP)	{Level-1 also as FILT_TYP}, filter type, "thick", "thin"
	(used for 131 A only), or "open"
$AIMSHOBC = A853E = AIA_IMG_SH_OPEN_BOT_CENTR$ (2)	24b; from ISP), shutter timer register value for this position of this
	image

AIMSHOBE = A853F = AIA IMG SH OPEN BOT EDGE (24b; from ISP), (same as above)*AIMSHOTC* = A8540 = AIA IMG SH OPEN TOP CENTR (24b; from ISP), (same as above) *AIMSHOTE* = *A*8541 = AIA IMG SH OPEN TOP EDGE (24b; from ISP), (same as above) AIMSHCBC = A8214 = AIA IMG SH CLOSE BOT CENTR (24b; from ISP), (same as above) *AIMSHCBE* = A8291 = AIA IMG SH CLOSE BOT EDGE (24b; from ISP), (same as above) *AIMSHCTC* = *A*853*C* = AIA IMG SH CLOSE TOP CENTR (24b; from ISP), (same as above) AIMSHCTE = A853D = AIA IMG SH CLOSE TOP EDGE (24b; from ISP), (same as above)AICFGDL1 = AIA IMG CFG DELAY 1 (8b; from ISP), mechanism delay 1 for this image AICFGDL2 = AIA IMG CFG DELAY 2 (8b; from ISP), clear table delay for this image AICFGDL3 = AIA IMG CFG DELAY 3 (8b; from ISP), shutter operation delay for this image *AICFGDL4* = AIA IMG CFG DELAY 4 (8b; from ISP), readout delay for this image *AIFOENFL* = AIA IMG FOCUS ENA FLAG (1b; from ISP), flag to indicate if focus table used or not position within framelist of this frame *AIMGFSN* = AIA IMG FRLIST POS (8b; from ISP), *AIMGTYP* = AIA IMG IMAGE TYPE (8b; from ISP) {Level-1 also as IMG TYP}, "dark" (0) or "light" (1) shutter type *AIAWVLEN* = AIA IMG WAVELENGTH (8b; from ISP) WAVELNTH = AIAWVLEN = AIA IMG WAVELENGTH (8b; from ISP) {Level-1 also}, wavelength of this observation, with 2 each for camera (telescope) 1, 2, 4, and 4 each for camera 3 (as a float in nm (Phil)), and with mapping reference number of each wavelength in (): for camera 1 = 33.5(0), 13.1(1)= 21.1 (2), 19.3 (3)for camera 2 = 160.0(4), 170.0(5), 450.0(6), 17.1(7) for camera 3 for camera 4 = 30.4(8), 9.4(9){Level-1 also}, **WAVEUNIT** = "nm" {Level-1 also}, **WAVE STR** = string(**WAVELNTH**+*AIFILTYP*) (with no decimal in WAVELNTH) AIAGP1 = AIA IMG GP1 (32B; from ISP), general purpose register word 1 AIAGP2 = AIA IMG GP2 (32B; from ISP), general purpose register word 2 AIAGP3 = AIA IMG GP3 (32B; from ISP), general purpose register word 3 general purpose register word 4 AIAGP4 = AIA IMG GP4 (32B; from ISP), AIAGP5 = AIA IMG GP5 (32B; from ISP), general purpose register word 5 AIAGP6 = AIA IMG GP6 (32B; from ISP), general purpose register word 6 AIAGP7 = AIA IMG GP7 (32B; from ISP), general purpose register word 7 general purpose register word 8 AIAGP8 = AIA IMG GP8 (32B; from ISP), AIAGP9 = AIA IMG GP9 (32B; from ISP), general purpose register word 9

AIAGP10 = AIA_IMG_GP10 (32B; from ISP),geAIGT1SVY = AIA_IMG_GT1_SUNVECTOR_Y (16b; from ISP),AIGT1SVZ = AIA_IMG_GT1_SUNVECTOR_Z (16b; from ISP),AIGT2SVY = AIA_IMG_GT2_SUNVECTOR_Y (16b; from ISP),AIGT3SVY = AIA_IMG_GT2_SUNVECTOR_Z (16b; from ISP),AIGT3SVY = AIA_IMG_GT3_SUNVECTOR_Y (16b; from ISP),AIGT3SVZ = AIA_IMG_GT3_SUNVECTOR_Y (16b; from ISP),AIGT4SVY = AIA_IMG_GT4_SUNVECTOR_Z (16b; from ISP),AIGT4SVZ = AIA_IMG_GT4_SUNVECTOR_Y (16b; from ISP),AIGT4SVZ = AIA_IMG_GT4_SUNVECTOR_Y (16b; from ISP),AIGT4SVZ = AIA_IMG_GT4_SUNVECTOR_Y (16b; from ISP),AIGT4SVZ = AIA_IMG_GT4_SUNVECTOR_Z (16b; from ISP),AIGSHEN = A8296 = AIA_IMG_SH_ENCODER (8b; from ISP),ACSUM027 = APID027_CHECKSUM (16b; from ISP),

general purpose register word 10

Guide Telescope (GT) 1 Sun vector in y direction
Guide Telescope (GT) 1 Sun vector in z direction
Guide Telescope (GT) 2 Sun vector in y direction
Guide Telescope (GT) 2 Sun vector in z direction
Guide Telescope (GT) 3 Sun vector in y direction
Guide Telescope (GT) 3 Sun vector in z direction
Guide Telescope (GT) 4 Sun vector in z direction
Guide Telescope (GT) 4 Sun vector in z direction
Guide Telescope (GT) 4 Sun vector in z direction
Guide Telescope (GT) 4 Sun vector in z direction
Guide Telescope (GT) 4 Sun vector in z direction
Guide Telescope (GT) 4 Sun vector in z direction

1.3 More FITS keywords for Level-0

NERRORS	int, Number of decompression errors
NPACKETS	int, Number of packets in image
QUALLEV0	int, Level-0 (only) quality word

1.4 Other FITS keywords for *Level-0* and *Level-1* also

$\mathbf{SIMPLE} = \mathbf{T}$	Boolean, always T for True, if conforming FITS file		
BITPIX = "16"	integer, Bits/pixel: 16, 32, -32, or -64 (negative for floating point) (HMI uses as 16 in L0)		
BLANK = "-32768"	value signaling undefined integer data		
ORIGIN	string, location where file was made, e.g., "SDO/JSOC-SDP"		
DATE	string, date and time of file creation in format: yyyy.mm.ddThh:mm:ss[.sss] in UTC		
$DATE-OBS = T_OBS - (EXPTIME/2.0)$	string, UTC, date when image observation started		
T_OBS	time, UTC, middle of the exposure time (shutter open start time + exposure time / 2.		
EXPTIME	floating point, calculated in double precision, exposure time in seconds		
EXPSDEV	float, calculated in double precision, standard deviation of the exposure time		
(see Appendix 1: AIA Camera Exposure Time Calculation for details on the 4 keywords above.)			
TELESCOP = "SDO/AIA"	string, name of source telescope package		
INSTRUME = "AIA_i" string	g, name of instrument (within telescope package) where i = camera number = 1, 2, 3, or 4		
INT_TIM = AICFGDL4 - AICFGDL3 (+ 1	rollover) double, interval time between readout delay and shutter operation delay		
	plus rollover		

DATAVALS	int, Actual number of data values in image
MISSVALS	int, Missing values: TOTVALS - DATAVALS
TOTVALS	int, Expected number of data values (pixels)
PERCENTD	int, Actual number of data values in image as percent of the total: (DATAVALS/TOTVALS) *100.0
DATAMIN	double, minimum value from all pixels
DATAMAX	double, maximum value from all pixels
DATAMEDN	double, median value from all pixels
DATAMEAN	double, mean value for all pixels
DATARMS	double, RMS deviation from the mean value of all pixels
DATASKEW	double, Skewness from the mean value of all pixels
DATAKURT	double, Kurtosis of all pixels
DATAP01	pixel value corresponding to lowest 1 percentile
DATAP10	pixel value corresponding to lowest 10 percentile
DATAP25	pixel value corresponding to lowest 25 percentile
DATAP75	pixel value corresponding to lowest 75 percentile
DATAP90	pixel value corresponding to lowest 90 percentile
DATAP95	pixel value corresponding to lowest 95 percentile
DATAP98	pixel value corresponding to lowest 98 percentile
DATAP99	pixel value corresponding to lowest 99 percentile
END	{FITS required}
2. More Level-1 Keywor	rds

2. More Level-1 Keywords

BSCALE **BZERO** QUALLEV1 SUM_MODE = AFDBSM APER_SEL = AIASEN FILWLSEL = AIWEN FILT_TYP = AIFILTYP IMG_TYP = AIMGTYP CMDEXPT = AIMGSHCE FOCUSPOS = AIFCPS CUT_OUT Multiplier for data values Offset for data values int, Level-1 quality word int, Summing Mode long int, Aperture selection encoder reading int, Filter wheel selector encoder reading (0-255) string, filter type of 'thick', 'thin', or 'open' string, image type of 'light' or 'dark' float, Commanded exposure long int, Focus position, i.e., currently loaded target value for the focus int, Is this a cut out?, 0 = no, 1=yes

DARK	string, Name of dark processed image
DARK_VER	float, Version number of dark image
FLAT	string, Name of processed flat field image
FLAT_VER	float, Version number of flat field image
DN_GAIN	float, Value of DN per electron gain factor
DN_GN_V	float, Version number of DN gain value
EFF_AREA	float, Value of effective area in cm ²
EFF_AR_V	float, Version number of effective area value
ATT_PT_V	float, Version number of S/C camera attitude pointing
FILENAME	Name of data file
LVL_NUM	Level number of image
REL_VER	Relative version number of reformatter, data, and/or metadata
PIPELNVR	Pipeline version"
SCIRFBSV	Science reference bore sight version number

2.1 Other Keywords for Higher Levels (1.0, and 1.5)

These keywords are to be populated separately for each instrument in Level-1.0, and above, when information becomes available following the guidelines in Phil Scherrer's "JSOC Keywords used for metadata" document [current update 5/8/09]. Please refer to this document, which gives a full description of the following image coordinate mapping keywords, discussing the FITS standards, including instrument and spacecraft pointing. Below the keywords and a brief description are presented. The lower case, Italicized, letters specify mapping from array axes (j) to image axes (i).

CTYPE <i>i</i> CRPIX <i>j</i> CRVAL <i>i</i> CDELT <i>i</i> CUNIT <i>i</i> CROTA <i>j</i> CRDER <i>i</i> CSYSER <i>i</i> R_SUN DSUN OBS	 Text, type of image coordinate axis <i>i</i> for other Cxxxx keywords Reference pixel along array axis <i>j</i>, with the first pixel numbered 1 (not 0). Physical value along image axis <i>i</i> at the center of the pixel. Pixel spacing per index value along image axis <i>i</i> Physical units for position on image axis <i>i</i> Rotation needed for array axes to get to image axes. Unit is degrees. Estimate of random error in coordinate <i>i</i> expressed in CUNIT<i>i</i>. Estimate of systematic error in coordinate <i>i</i> expressed in CUNIT<i>i</i>. Radius of the Sun's image in pixels, for the visible light (float) Distance from Sun's center to SDO in m (float)
DSUN_OBS	Distance from Sun's center to SDO in m (float)
RSUN_REF	Radius of the Sun in m, (float)

SAT ROT	Position angle of solar pole wrt the SDO Z axis (float, degrees)		
INST ROT	Rotation of the camera from the SDO Z axis (float, degrees)		
_	(CROTA <i>j</i> will be the sum SAT ROT + INST ROT) $($		
IM SCALE	Arc-sec per CCD pixel default value for the particular instrument		
—	(float). This value will be used for the estimate of CDELT for AIA.		
X0	X-axis location of solar disk center in pixels, start 0.0 (float)		
YO	Y-axis location of solar disk center in pixels, start 0.0 (float)		
XCEN1	X co-ordinate of ROI 1 array center (float)		
YCEN1	Y co-ordinate of ROI 2 array center (float)		
XCEN2	X co-ordinate of ROI 1 array center (float)		
YCEN2	Y co-ordinate of ROI 2 array center (float)		
where $\mathbf{a} = \mathbf{CROTA2}$ for ROI 1,			
	¹ *cos(a)*((ROI NAX1+1)/2 – CRPIX1)		
	$2*\sin(a)*((ROI NAY1+1)/2 - CRPIX2)$		
YCEN1 = CRVAL2 + CDELT1*sin(a)*((ROI_NAX1+1)/2 - CRPIX1)			
+ CDELT2*cos(a)*((ROI NAY1+1)/2 – CRPIX2)			
and for ROI 2,			
$XCEN2 = CRVAL1 + CDELT1*cos(a)*((ROI_NAX2+1)/2 - CRPIX1)$			
– CDELT2*sin(a)*((ROI NAY2+1)/2 – CRPIX2)			
YCEN2 = CRVAL2 + CDELT1*sin(a)*((ROI_NAX2+1)/2 - CRPIX1)			
+ CDELT2*cos(a)*((ROI NAY2+1)/2 – CRPIX2)			
FOVX1 = CDELT1 * ROI_NAX1	ROI 1 X-Axis Field of View in CUNITi		
FOVY1 = CDELT2 * ROI_NAY1	ROI 1 Y-Axis Field of View in CUNITi		
FOVX2 = CDELT1 * ROI_NAX2	ROI 2 X-Axis Field of View in CUNITi		
FOVY2 = CDELT2 * ROI_NAY2	ROI 2 Y-Axis Field of View in CUNITi		
TEMPCCD _ Temperature at CCD			
TEMPCEB Temperature at common electronics box			
TEMPSMIR Temperature at secondary mirror			
TEMPPMIR Temperature at primary mirror			
PZTOFFS1	PZT offset		
PZTOFFS2	PZT offset		
PZTOFFS3	PZT offset		
HELIOCN1	Heliocentric coordinates (6) - Rock (TBD)		
HELIOCN2			

HELIOCN3 HELIOCN4 HELIOCN5 HELIOCN6 GEOCEN1 GEOCEN2 GEOCEN3 GEOCEN4 GEOCEN5 GEOCEN6	Geocentric coordinates (6) - Rock (TBD)
CARRINGT EXTEND COMMENT HISTORY DARK FLAT_FIELD LEAP_SEC	Carrington keyword - Rock (TBD) FITS file may contain extensions ASCII comment (can be multiple) ASCII history record (can be multiple) Set when applied to image Current number of leap seconds to add to TAI

More level definitions

<u>Definition of Level-1.0</u> (Note: This temporary level is generated on demand from Level-0 and is held for up to 60 days.)

1. Header

Metadata for Level-0 reduced to those scientific FITS keywords needed for analysis at Level-1, updating the image coordinate mapping keywords to meaningful and nearly correct values, plus other keywords needed for Level -1 and above.

2. Data

Decompressed raw data (level 0) with overscan pixels removed, dark pedestal and current, as well as flat field, corrections applied, bad pixel and cosmic-ray map created, image flipped to align with Solar North, and, finally, image rescaled to integer.

<u>Definition of Level-1.5</u> (Note: The output from this level will be used to generate the permanently stored data.)

1. Header

Metadata for Level-1.0 updated for the applied calibrations below (that will irreversibly modify the data).

2. Data

Floating-Point Level-1.0 data images that are de-spiked, or replaced, using the bad pixel map; adjusted for plate scale, rotation, and sub-pixel registration; roll corrected; and finally rescaled to integer.

Level 0	Level 1	Brief Description San	nple Keyword	Section
SIMPLE =	SIMPLE		Т	1.4
BITPIX =	BITPIX		16	1.4
BLANK =	BLANK		-32768	1.4 (definition)
NAXIS =	NAXIS		2	1.1
	EXTEND		Т	2
ORIGIN =	ORIGIN		'SDO/JSOC-SDP'	1.4
DATE =	DATE		'2008-01-08T18:57:38'	1.4
DATE-OBS =	DATE-OBS		'2008-01-08T18:56:00.005'	1.4, App. 1
T OBS =	T OBS		'2008-01-08T18:56:03.005'	1.4, App. 1
EXPTIME =	EXPTIME		5.039	1.4, App. 1
EXPSDEV =	EXPSDEV		0.019	1.4, App. 1
TELESCOP =	TELESCOP		'SDO/AIA'	1.4
INSTRUME =	INSTRUME		'AIA i'	1.4
CAMERA =	CAMERA		3	1.1 (Header)
WAVELNTH =	WAVELNT	H	17.1	1.2, 1.4
WAVEUNIT =	WAVEUNIT		'nm'	1.2
$WAVE_STR =$	WAVE_STR	2	ʻ17101'	1.2
FSN =	FSN	Frame Serial Number	75000	1.1 (Header)
IMGAPID =	IMGAPID	Packet APID, "Image Appl	ication ID"	1.1 (Header)
TAPCODE		"Take a Picture code"		1.1 (Header)
BITSELID		Bit Select ID, r		1.1 (Header)
COMPID		Compression ID; n, k		1.1 (Header)
CROPID =	CROPID	Crop table ID		1.1 (Crop table)
FID =	FID	Frame Definition Block ID		1.1 (Crop table)
IMGFPT		First packet time		1.1
TLMDSNAM		Telemety data series name v	with first packet of image	1.1

3. Draft of Level 0 and 1 Headers with Sample Keywords

AIA02840 – Rev. F 6/12/09 Draft

					0/12/0001
AFDBSM	=	SUM_MODE			1.1 (FDB)
NUMWIN			(= AFDBNW , Number of windows)		1.1 (FDB)
AFDBNW			Number of ROIs		1.1 (FDB)
ROI_NAX1	=	ROI_NAX1	4096		1.1
ROI_NAX1	=	ROI_NAX1	4096		1.1
ROI_NAX2	=	ROI_NAX2	0		1.1
ROI_NAX2	=	ROI_NAX2	0		1.1
NAXIS1	=	NAXIS1	4096		1.1
NAXIS2	=	NAXIS2	4096		1.1
ROI_LLX1	=	ROI_LLX1	0		1.1
ROI_LLY1	=	ROI_LLY1	0		1.1
ROI_LLX2	=	ROI_LLX2	0		1.1
ROI_LLY2	=	ROI_LLY2	0		1.1
NERRORS			Number of decompression errors		1.3
NPACKETS			Number of packets in image		1.3
QUALLEV0			Level-0 Quality word		1.3
DATAVALS	=	DATAVALS	Actual number of data values in image		1.4
MISSVALS	=	MISSVALS	Missing values: TOTVALS - DATAVA	LS	1.4
TOTVALS	=	TOTVALS	Expected number of data values (pixels)		1.4
PERCENTD	=	PERCENTD	Percentage of good data 100.0		1.4
DATAMIN	=	DATAMIN	81.0		1.4
DATAMAX	=	DATAMAX	4100.0		1.4
DATAMED	N =	DATAMEDN	218.345670)	1.4
DATAMEAN	N =	DATAMEAN	218.345670)	1.4
DATARMS	=	DATARMS	22.687300		1.4
DATASKEW	/ =	DATASKEW	218.345670)	1.4
DATAKURT] =	DATAKURT	218.345670)	1.4
ATCS027			APID027 timecode in seconds (used	to define exposure)	1.2 (ISP)
ATCSS027			APID027 timecode in subseconds (used	to define exposure)	1.2 (ISP)
AIVNIMST			ISP version number		1.2 (ISP)
AIMGOTS			seconds time tag		1.2 (ISP)
ASQHDR			$[=ASQTNUM (2b) \{=Camera\} + ASQ$		1.2 (ISP)
ASQTNUM			[= Camera - 1]		1.2 (ISP)
ASQFSN			[another FSN]		1.2 (ISP)

AIA/SDO FITS Keywords			AIA02840 – Rev. F 6/12/09 Draft
AIAHFSN		the FSN of the image from which the histogram data was obtained	1.2 (ISP)
AECDELAY		time since image used for AEC	1.2 (ISP)
AIAECTI		Automatic Exposure Control (AEC) tables used with this image	1.2 (ISP)
AIASEN =	APERT SEI	aperture selection encoder reading	1.2 (ISP)
AIFDBID	_	[another FDB ID]	
AIMGOTSS		subseconds time tag	1.2 (ISP)
AIFCPS =	FOCUSPOS	currently loaded target value	1.2 (ISP)
AIFTSWTH		filter switch threshold for 131A wavelength (exposure)	1.2 (ISP)
AIFRMLID		framelist id for this image	1.2 (ISP)
AIFTSID		framelist timeline schedule (FTS) id	1.2 (ISP)
AIHISMXB		bin number of maximum of standard histogram for previous imag	e in this wavelength
		used for the current AEC	1.2 (ISP)
AIHIS192		cumulative histogram value at bin #192	1.2 (ISP)
AIHIS348		cumulative histogram value at bin #348	1.2 (ISP)
AIHIS604		cumulative histogram value at bin #604	1.2 (ISP)
AIHIS860		cumulative histogram value at bin #860	1.2 (ISP)
AIFWEN =		filter wheel selector encoder reading	1.2 (ISP)
AIMGSHCE =	COMDEXPT		1.2 (ISP)
AECTYPE		AEC table for current wavelength	1.2 (ISP)
AECMODE		mode of AEC	1.2 (ISP)
AISTATE		ISS on/off	1.2 (ISP)
AIAECENF		AEC enable flag for this image	1.2 (ISP)
AIFILTYP =	FILT_TYP	01	1.2 (ISP)
AIMSHOBC		shutter timer register value	1.2 (ISP)
AIMSHOBE		shutter timer register value	1.2 (ISP)
AIMSHOTC		shutter timer register value	1.2 (ISP)
AIMSHOTE		shutter timer register value	1.2 (ISP)
AIMSHCBC		shutter timer register value	1.2 (ISP)
AIMSHCBE		shutter timer register value	1.2 (ISP)
AIMSHCTC		shutter timer register value	1.2 (ISP)
AIMSHCTE		shutter timer register value	1.2 (ISP)
AICFGDL1		mechanism delay 1	1.2 (ISP)
AICFGDL2		clear table delay	1.2 (ISP)
AICFGDL3		shutter operation delay	1.2 (ISP)

AIA/SDO FITS Keywords			AIA02840 – Rev. F 6/12/09 Draft
AICDGDL4		readout delay	1.2 (ISP)
AIFOENFL		flag to indicate if focus table used or not	1.2 (ISP)
AIMGFSN		position within framelist of this frame	1.2 (ISP)
AIMGTYP =	IMG TYP	'LIGHT'	1.2 (ISP)
AIAWVLEN	—	(coded wavelength for this observation)	1.2 (ISP)
AIAGP1		general purpose register word 1	1.2 (ISP)
AIAGP2		general purpose register word 2	1.2 (ISP)
AIAGP3		general purpose register word 3	1.2 (ISP)
AIAGP4		general purpose register word 4	1.2 (ISP)
AIAGP5		general purpose register word 5	1.2 (ISP)
AIAGP6		general purpose register word 6	1.2 (ISP)
AIAGP7		general purpose register word 7	1.2 (ISP)
AIAGP8		general purpose register word 8	1.2 (ISP)
AIAGP9		general purpose register word 9	1.2 (ISP)
AIAGP10		general purpose register word 10	1.2 (ISP)
AIGTISVY		GT 1 Sun vector in y direction	1.2 (ISP)
AIGTISVZ		GT 1 Sun vector in z direction	1.2 (ISP)
AIGT2SVY		GT 2 Sun vector in y direction	1.2 (ISP)
AIGT2SVZ		GT 2 Sun vector in z direction	1.2 (ISP)
AIGT3SVY		GT 3 Sun vector in y direction	1.2 (ISP)
AIGT3SVZ		GT 3 Sun vector in z direction	1.2 (ISP)
AIGT4SVY		GT 4 Sun vector in y direction	1.2 (ISP)
AIGT4SVZ		GT 4 Sun vector in z direction	1.2 (ISP)
AIMGSHEN		shutter selector encoder reading	1.2 (ISP)
INT_TIM =	INT_TIM	[= <i>AICFGDL4</i> - <i>AICFGDL3</i> (+ rollover), interval time between	
		readout delay and shutter operation delay plus rollover]	1.4
	BSCALE	multiplier for data values	2
	BZERO	offset for data values	2
		Level-1 Quality word	2
	FOVX1	Field of View in CUNITi 1020	2.1
	FOVY1	Field of View in CUNITi 1020	2.1
	FOVX2	Field of View in CUNITi 0	2.1
	FOVY2	Field of View in CUNITi 0	2.1
	CTYPE1	'SOLARX'	2.1

		0/12/02
CTYPE2	'SOLARY'	2.1
CROTA2	0.0	2.1
CDELT1	0.5	2.1
CDELT2	0.5	2.1
CRPIX1	-357.291	2.1
CRPIX2	850.624	2.1
CRVAL1	0.0	2.1
CRVAL2	0.0	2.1
CUNIT1	'arcsec'	2.1
CUNIT2	'arcsec'	2.1
CRDER1	Estimate of random error in 1 as CUNITi	2.1
CRDER2	Estimate of random error in 2 as CUNITi	2.1
CSYSER1	Estimate of systematic error in 1 as CUNITi	2.1
CSYSER2	Estimate of systematic error in 2 as CUNITi	2.1
RSUN_REF	960.0	2.1
X0	2047.0	2.1
Y0	2047.0	2.1
R_SUN	Radius of the Sun's image in pixels	2.1
SAT_ROT	Position angle of solar pole wrt the SDO Z axis	2.1
INST_ROT	Rotation of the camera from the SDO Z axis	2.1
IM_SCALE	0.5	2.1
XCEN1	434.895	2.1
YCEN1	-169.062	2.1
TEMPCCD	Temp. at CCD -60.5	2.1
TEMPCEB	Temp. at common electronics box -30.3	2.1
TEMPSMIR	1 5	2.1
TEMPPMIR		2.1
PZTOFFS1	PZT offset	2.1
PZTOFFS2	PZT offset	2.1
PZTOFFS3	PZT offset	2.1
DATAP01	722.00000	2
DATAP10	726.00000	2
DATAP25	730.00000	2
DATAP75	1094.0000	2

=

END

AIA02840 – Rev. F 6/12/09 Draft

DATAP90	1368.0000	2
DATAP95	1662.0000	2
DATAP98	2282.0000	2
DATAP99	2826.0000	2
FILENAME	Name of data file	2
LVL_NUM	Level number of image	2
REL_VER	Relative version number of reformatter, data, and/or metadata	2
PIPELNVR	Pipeline version	2
EXTEND	FITS file extension? T or F	2
COMMENT	Comment	2
HISTORY	ASCII history record, one or more	2
END		1.4

AIA/SDO FITS Keywords

Appendix 1: AIA Camera Exposure Time Calculation

Telemetry parameters required from AIA Image Status Packet:

```
AIMGOTS = AIA_IMG_OBT_TIME_SH_SEC

AIMGOTSS = AIA_IMG_OBT_TIME_SH_SS

cmdexp = double(AIMGSHCE) = AIA_IMG_SH_CMDED_EXPOSURE

shopbc = double(AIMSHOBC) = AIA_IMG_SH_OPEN_BOT_CENTR

shopbe = double(AIMSHOBE) = AIA_IMG_SH_OPEN_BOT_EDGE

shoptc = double(AIMSHOTC) = AIA_IMG_SH_OPEN_TOP_CENTR

shopte = double(AIMSHOTE) = AIA_IMG_SH_OPEN_TOP_EDGE

shclbc = double(AIMSHCBC) = AIA_IMG_SH_CLOSE_BOT_CENTR

shclbe = double(AIMSHCBE) = AIA_IMG_SH_CLOSE_BOT_EDGE

shcltc = double(AIMSHCTC) = AIA_IMG_SH_CLOSE_TOP_CENTR

shclte = double(AIMSHCTC) = AIA_IMG_SH_CLOSE_TOP_CENTR
```

AIMGSHCE is the commanded exposure (19 bits) starting from ~0.005 s (due to size of narrow shutter slit) in 0.001 s steps to 524.28 s $[(2^{19} - 1)*10^{-3} = 524287*10^{-3}]$ (timings are from document AIA01259 rev H). The maximum exposure of the AIA shutter mechanism is ~268.4 s. The 24 bit shutter open and close time measurements have a resolution of 0.000004 s, starting at 0.000004 s up to ~67 s $[(2^{24} - 1)*4*10^{-6} = 67108860*10^{-6}]$. The commanded exposure value can be used to determine the rollover value. The expected value of the commanded exposure to the nearest 0.1 sec just before each of the three possible rollover steps is 67.1 s, 134.2 s, and 201.3 s, respectively. When **AIMGSHCE** is above any of these values it has rolled over 1, 2, or 3 times, respectively, and the number of rollovers multiplied by 67.108864 s needs to be added to the respective shutter close minus open time before averaging. Please note that the programmer needs to take care near the rollover steps because the hardware and/or software may not work quite the same as in the ideal case presented here.

The actual exposure is the average of the difference of the closing time minus the opening time for each of the four measurements positions, except when *AIMGSHCE* is less than 0.072 s, in which case the shutter mechanism is in its narrow slit mode. In the latter mode the narrow slit opening (smaller by 0.35) is utilized for one or more passes. The current operational planning calls for the shutter exposure to be about 5 s per image for each camera.

Using the above, together with Rock Bush's email of 28-Feb-08 on HMI T_OBS and EXPTIME and John Serafin's email of 20-May-08 on a rollover algorithm in C, the following algorithm has been written in IDL for calculating the AIA camera shutter exposure time

AIA/SDO FITS Keywords

for each camera, **EXPTIME**; standard deviation, **EXPSDEV**; the shutter open start time plus the middle of the exposure time, **T_OBS**; and the date when the observation started, **DATE-OBS**.

; Computer quantities (note: all variables should be double precision and time is in seconds):

AIA_Shutter_Open_Start_Time = <i>AIMGOTS</i> + <i>AIMGOTSS</i>	;combine these in TAI		
;Intermediate calculation variables:			
cshclbc = shclbc + 67.108864d0 * nrollct(cmdexp, shclbc) cshclbe = shclbe + 67.108864d0 * nrollct(cmdexp, shclbe) cshcltc = shcltc + 67.108864d0 * nrollct(cmdexp, shcltc) cshclte = shclte + 67.108864d0 * nrollct(cmdexp, shclte)	;correct for rollovers		
shebc = cshclbc - shopbc shebe = cshclbe - shopbe shetc = cshcltc - shoptc shete = cshclte - shopte	;close time – open time		
<pre>mean = (shebc + shebe + shetc + shete)/4.0d0 exp_sd = sqrt(1/3 * ((shebc-mean) * (shebc-mean) + (shebe-mean) (shetc-mean) * (shetc-mean) * (shete-mean) *))</pre>	;mean and standard deviation ean) * (shebe-mean) + \$;continued from previous line		
if (cmdexp lt 0.072d0) then begin mean = mean * 0.35 exp_sd = expsd * 0.35 endif	;in narrow slit mode		
$\begin{array}{ll} \mathbf{EXPTIME} &= mean \\ \mathbf{EXPSDEV} &= exp_sd \end{array}$;AIA_Shutter_Exposure_Time ;AIA_Shutter_Exposure_SD		
EXPTIME_Offset = (cshclbc + shopbc + cshclbe + shopbe + cshcltc + shoptc + cshclte + \$ shopte)/8.0d0			

;continued from previous line

T_OBS = AIA_Shutter_Open_Start_Time + EXPTIME_Offset ;(add in seconds, calculate DATA_OBS, then convert T_OBS to UTC)

 $DATE-OBS = T_OBS - (EXPTIME/2.0)$

;(add in seconds then convert to UTC time)

Note: the T_OBS time is the shutter open start time plus the middle of the exposure time. As such a shutter exposure offset is the mean of all the open and close times. The EXPTIME is the shutter open time duration. DATE-OBS is the date when observation started.

;Rollover procedure nrollet ;for rollovers at 67.1, 134.2 and 201.3 with integers used below that are about one quarter of the ;interval away from the rollover values and thus not critical

Pro nrollct, cmdexp, clostim

If (cmdexp < 51.0) then return 0 If (cmdexp < 84.0) then if (clostim > 33.0) then return 0 else return 1 If (cmdexp < 117.0) then return 1 If (cmdexp < 151.0) then if (clostim > 33.0) then return 1 else return 2 If (cmdexp < 184.0) then return 2 If (cmdexp < 217.0) then if (clostim > 33.0) then return 2 else return 3 If (cmdexp < 251.0) then return 3 return if (clostim > 33.0) then return 4 end